




















Technical information (08/24)

MOBIHEL FINE PUTTY

- Fine putty for even out small irregularities, uneven areas or pores left in putty or filler
- Suitable for all kind of metal substrates (steel sheet metal, galvanized steel or aluminium)
- No holes after sanding
- Extremely easy sanding
- No sagging
- Colour: white
- VOC compliant

	FE	ZN	AL	MOBIHEL 2K FILLER
SUBSTRATE PREPARATION	 P220 - P280	 MOBIHEL ANTISILICONE CLEANER	 MOBIHEL ANTISILICONE CLEANER	 P360 - P600
	 MOBIHEL ANTISILICONE CLEANER	 P220 - P280	 P220 - P280	 MOBIHEL ANTISILICONE CLEANER
		 MOBIHEL ANTISILICONE CLEANER	 MOBIHEL ANTISILICONE CLEANER	

	Mixing ratio:	MOBIHEL FINE PUTTY BP HARDENER	100 g 2 g
	Pot life of the mixture at 20°C:	3 - 6 min	
	Stir well:		
	Spreading:		
	Drying time at 20°C:	20 - 30 min	
	Drying time (infra-red short-wave):	5 min Distance to the object: 70 - 80 cm	

	Dry sanding:	P360 – P400
	Further treatment:	All 2K fillers from MOBIHEL programme All top coats from MOBIHEL programme
	Shelf life:	18 months 4 months

2004/42/II B(b) (250) 170

EU limit value VOC for this type of products (category II B (b)) in the form, which is ready for application is **250 g/l** VOC of this product, prepared for use is **170 g/l**.

FOR PROFESSIONAL USE ONLY – See Safety Data Sheet

The data may vary under various conditions.

Any part of this information may change at any time without notice.

The information was derived from years of experience in the collaboration of Development and Technical Services and is the property of HELIOS Refinish.

We guarantee that the quality of work carried out according to our instructions delivers results while we disclaim any liability if any other products were used or if other factors influenced the final appearance.

The latest version of TDS supersedes all previous versions. You can obtain the latest version from general distributor in your country.

The user of this product should use the product in accordance with the laws and regulations for safety at work and waste management.

Version: 2024-2 (01.08.2024)